

Medicinal Seasonings

Reference List

www.medicinalseasonings.com

- Adhami, V. M., Ahmad, N., & Mukhtar, H. (2003). Molecular Targets for Green Tea in Prostate Cancer Prevention. *J.Nutr.*, 133, 2417S-2424S.
- Aga, M., Iwaki, K., Ueda, Y., Ushio, S., Masaki, N., Fukuda, S., et al. (2001). Preventive effect of *Coriandrum sativum* (Chinese parsley) on localized lead deposition in ICR mice. *J Ethnopharmacol.*, 77(2-3), 203-208.
- Aggarwal, B., Takada, Y., & Oommen, O. V. (2004). From chemoprevention to chemotherapy: common targets and common goals. *Expert Opin Investig Drugs.*, 13(10), 1327-1338.
- Aggarwal, B. B., & Shishodia, S. (2004). Suppression of the nuclear factor-kappaB activation pathway by spice-derived phytochemicals: reasoning for seasoning. *Ann N Y Acad Sci.*, 1030, 434-441.
- Ali, B. H., & Blunden, G. (2003). Pharmacological and toxicological properties of *Nigella sativa*. *Phytother Res.*, 17(4), 299-305.
- Ambegaokar, S. S., Wu, L., Alamshahi, K., Lau, J., Jazayeri, L., Chan, S., et al. (2003). Curcumin inhibits dose-dependently and time-dependently neuroglial cell proliferation and growth. *Neuro Endocrinol Lett.*, 24(6), 469-473.
- Ambrosone, C. B., McCann, S. E., Freudenheim, J. L., Marshall, J. R., Zhang, Y., & Shields, P. G. (2004). Breast cancer risk in premenopausal women is inversely associated with consumption of broccoli, a source of isothiocyanates, but is not modified by GST genotype. *J Nutr.*, 134(5), 1134-1138.
- Anderson, R. A., Broadhurst, C. L., Polansky, M. M., Schmidt, W. F., Khan, A., Flanagan, V. P., et al. (2004). Isolation and characterization of polyphenol type-A polymers from cinnamon with insulin-like biological activity. *J Agric Food Chem.*, 52(1), 65-70.
- Ashida, H., Furuyashiki, T., Nagayasu, H., Bessho, H., Sakakibara, H., Hashimoto, T., et al. (2004). Anti-obesity actions of green tea: possible involvements in modulation of the glucose uptake system and suppression of the adipogenesis-related transcription factors. *Biofactors.*, 22(1-4), 135-140.
- Auger, C., Teissedre, P. L., Gerain, P., Lequeux, N., Bornet, A., Serisier, S., et al. (2005). Dietary wine phenolics catechin, quercetin, and resveratrol efficiently protect hypercholesterolemic hamsters against aortic fatty streak accumulation. *J Agric Food Chem.*, 53(6), 2015-2021.
- Azadbakht, L., Shakerhosseini, R., Atabak, S., Jamshidian, M., Mehrabi, Y., & Esmail-Zadeh, A. (2003). Beneficiary effect of dietary soy protein on lowering plasma levels of lipid and improving kidney function in type II diabetes with nephropathy. *Eur J Clin Nutr.*, 57(10), 1292-1294.

- Aziz, M. H., Reagan-Shaw, S., Wu, J., Longley, B. J., & Ahmad, N. (2005). Chemoprevention of skin cancer by grape constituent resveratrol: relevance to human disease? *FASEB J.*, *18*.
- Banerjee, S. K., & Maulik, S. K. (2002). Effect of garlic on cardiovascular disorders: a review. *Nutr J.*, *1*, 1475-2891.
- Baum, L., & Ng, A. (2004). Curcumin interaction with copper and iron suggests one possible mechanism of action in Alzheimer's disease animal models. *J Alzheimers Dis.*, *6*(4), 367-377.
- Bear, W. L., & Teel, R. W. (2000). Effects of citrus phytochemicals on liver and lung cytochrome P450 activity and on the in vitro metabolism of the tobacco-specific nitrosamine NNK. *Anticancer Res.*, *20*(5A), 3323-3329.
- Bhathena, S. J., & Velasquez, M. T. (2002). Beneficial role of dietary phytoestrogens in obesity and diabetes. *American Journal of Clinical Nutrition*, *76*(6), 1191-1201.
- Binns, C. W., Lj, L. J., & Lee, A. H. (2004). The relationship between dietary carotenoids and prostate cancer risk in Southeast Chinese men. *Asia Pac J Clin Nutr.*, *13*(Suppl), S117.
- Blomhoff, R. (2004). Antioxidants and oxidative stress. *Tidsskr Nor Laegeforen.*, *124*(12), 1643-1645.
- Bode, A. M., Ma, W.-Y., Surh, Y.-J., & Dong, Z. (2001). Inhibition of Epidermal Growth Factor-induced Cell Transformation and Activator Protein 1 Activation by [6]-Gingerol. *Cancer Research*, *61*, 850-853.
- Bordia, A., Verma, S. K., & Srivastava, K. C. (1997). Effect of ginger (*Zingiber officinale* Rosc.) and fenugreek (*Trigonella foenumgraecum* L.) on blood lipids, blood sugar and platelet aggregation in patients with coronary artery disease. *Prostaglandins Leukot Essent Fatty Acids.*, *56*(5), 379-384.
- Borrelli, F., Capasso, R., Aviello, G., Pittler, M. H., & Izzo, A. A. (2005). Effectiveness and safety of ginger in the treatment of pregnancy-induced nausea and vomiting. *Obstet Gynecol.*, *105*(4), 849-856.
- Branca, F., & Lorenzetti, S. (2005). Health effects of phytoestrogens. *Forum Nutr.*(57), 100-111.
- Bretz, W. A., Weyant, R. J., Corby, P. M., Ren, D., Weissfeld, L., Kritchevsky, S. B., et al. (2005). Systemic inflammatory markers, periodontal diseases, and periodontal infections in an elderly population. *J Am Geriatr Soc.*, *53*(9), 1532-1537.
- Broadhurst, C. L. (1997). Balanced intakes of natural triglycerides for optimum nutrition: an evolutionary and phytochemical perspective. *Med Hypotheses.*, *49*(3), 247-261.
- Broadhurst, C. L., Polansky, M. M., & Anderson, R. A. (2000). Insulin-like biological activity of culinary and medicinal plant aqueous extracts in vitro. *J Agric Food Chem.*, *48*(3), 849-852.
- Cantuti-Castelvetri, I., Shukitt-Hale, B., & Joseph, J. A. (2000). Neurobehavioral aspects of antioxidants in aging. *Int J Dev Neurosci.*, *18*(4-5), 367-381.

- Cerda, J. J., Robbins, F. L., Burgin, C. W., Baumgartner, T. G., & Rice, R. W. (1988). The effects of grapefruit pectin on patients at risk for coronary heart disease without altering diet or lifestyle. *Clin Cardiol.*, *11*(9), 589-594.
- Chauhan, N. B. (2003). Anti-amyloidogenic effect of *Allium sativum* in Alzheimer's transgenic model Tg2576. *Herb Pharmacother.*, *3*(1), 95-107.
- Chen, D., Daniel, K. G., Chen, M. S., Kuhn, D. J., Landis-Piwowar, K. R., & Dou, Q. P. (2005). Dietary flavonoids as proteasome inhibitors and apoptosis inducers in human leukemia cells. *Biochem Pharmacol.*, *69*(10), 1421-1432.
- Chiang, L. C., Ng, L. T., Cheng, P. W., Chiang, W., & Lin, C. C. (2005). Antiviral activities of extracts and selected pure constituents of *Ocimum basilicum*. *Clin Exp Pharmacol Physiol.*, *32*(10), 811-816.
- Choudhuri, T., Pal, S., Agwarwal, M. L., Das, T., & Sa, G. (2002). Curcumin induces apoptosis in human breast cancer cells through p53-dependent Bax induction. *FEBS Lett.*, *512*(1-3), 334-340.
- Cipriani, F., Buiatti, E., & Palli, D. (1991). Gastric cancer in Italy. *Ital J Gastroenterol.*, *23*(7), 429-435.
- Couillard, C., Ruel, G., Archer, W. R., Pomerleau, S., Bergeron, J., Couture, P., et al. (2005). Circulating levels of oxidative stress markers and endothelial adhesion molecules in men with abdominal obesity. *J Clin Endocrinol Metab.*, *90*(12), 6454-6459.
- Di, G. H., Li, H. C., Shen, Z. Z., & Shao, Z. M. (2003). Analysis of anti-proliferation of curcumin on human breast cancer cells and its mechanisms. *Zhonghua Yi Xue Za Zhi.*, *83*(20), 1764-1768.
- Dikshit, R. P., Boffetta, P., Bouchardy, C., Merletti, F., Crosignani, P., Cuchi, T., et al. (2005). Risk factors for the development of second primary tumors among men after laryngeal and hypopharyngeal carcinoma. *Cancer*, *103*(11), 2326-2333.
- Dragland, S., Senoo, H., Wake, K., Holte, K., & Blomhoff, R. (2003). Several Culinary and Medicinal Herbs Are Important Sources of Dietary Antioxidants. *J.Nutr.*, *133*, 1286-1290.
- Duke, J. A., Bogenschutz-Godwin, M. J., duCellier, J., & Duke, P.-A. K. (2003). *CRC Handbook of Medicinal Spices*. Boca Raton: CRC.
- Dwivedi, C., Muller, L. A., Goetz-Parten, D. E., Kasperson, K., & Mistry, V. V. (2003). Chemopreventive effects of dietary mustard oil on colon tumor development. *Cancer Lett.*, *196*(1), 29-34.
- Dye, B. A., Choudhary, K., Shea, S., & Papapanou, P. N. (2005). Serum antibodies to periodontal pathogens and markers of systemic inflammation. *J Clin Periodontol.*, *32*(12), 1189-1199.
- Ebersole, J. L., Cappelli, D., Mathys, E. C., Steffen, M. J., Singer, R. E., Montgomery, M., et al. (2002). Periodontitis in humans and non-human primates: oral-systemic linkage inducing acute phase proteins. *Ann Periodontol.*, *7*(1), 102-111.

- Eddouks, M., Lemhadri, A., & Michel, J. (2005). Hypolipidemic activity of aqueous extract of *Capparis spinosa* L. in normal and diabetic rats. *J Ethnopharmacol.*, 98(3), 345-350.
- Elenkov, I. J., Iezzoni, D. G., Daly, A., Harris, A. G., & P, C. G. (2005). Cytokine dysregulation, inflammation and well-being. *Neuroimmunomodulation.*, 12(5), 255-269.
- Elkayam, A., Mirelman, D., Peleg, E., Wilchek, M., Miron, T., Rabinkov, A., et al. (2003). The effects of allicin on weight in fructose-induced hyperinsulinemic, hyperlipidemic, hypertensive rats. *Am J Hypertens.*, 16(12), 1053-1056.
- Exner, M., Hermann, M., Hofbauer, R., Kapiotis, S., Quehenberger, P., Speiser, W., et al. (2001). Genistein prevents the glucose autoxidation mediated atherogenic modification of low density lipoprotein. *Free Radic Res.*, 34(1), 101-112.
- Fleischauer, A. T., Poole, C., & Arab, L. (2000). Garlic consumption and cancer prevention: meta-analyses of colorectal and stomach cancers. *American Journal of Clinical Nutrition*, 72(4), 1047-1052.
- Fowke, J. H., Chung, F.-L., Jin, F., Qi, D., Cai, Q., Conaway, C., et al. (2003). Urinary Isothiocyanate Levels, Brassica, and Human Breast Cancer. *Cancer Research*, 63, 3980-3986.
- Fujita, H., Yamagami, T., & Ohshima, K. (2001). Long-Term Ingestion of a Fermented Soybean-Derived Touchi-Extract with Glucosidase Inhibitory Activity Is Safe and Effective in Humans with Borderline and Mild Type-2 Diabetes. *Journal of Nutrition.*, 131, 2105-2108.
- Gagandeep, S. D., E, M., AR, R., & RK., K. (2003). Chemopreventive effects of *Cuminum cyminum* in chemically induced forestomach and uterine cervix tumors in murine model systems. *Nutr Cancer.*, 47(2), 171-180.
- Galisteo, M., Suarez, A., del Pilar, M. M., del Pilar, U. M., Jimenez, J., Gil, A., et al. (2000). Antihepatotoxic activity of *Rosmarinus tomentosus* in a model of acute hepatic damage induced by thioacetamide. *Phytother Res.*, 14(7), 522-526.
- Genkinger, J. M., Platz, E. A., Hoffman, S. C., Comstock, G. W., & Helzlsouer, K. J. (2004). Fruit, vegetable, and antioxidant intake and all-cause, cancer, and cardiovascular disease mortality in a community-dwelling population in Washington County, Maryland. *Am J Epidemiol.*, 160(12), 1223-1233.
- Gescher, A. (2004). Polyphenolic phytochemicals versus non-steroidal anti-inflammatory drugs: which are better cancer chemopreventive agents? *J Chemother.*, 16(Suppl 4), 3-6.
- Gill, C. I., Haldar, S., Porter, S., Matthews, S., Sullivan, S., Coulter, J., et al. (2004). The effect of cruciferous and leguminous sprouts on genotoxicity, in vitro and in vivo. *Cancer Epidemiol Biomarkers Prev.*, 13(7), 1199-1205.
- Giovannucci, E., Rimm, E. B., Wolk, A., Ascherio, A., Stampfer, M. J., Colditz, G. A., et al. (1998). Calcium and fructose intake in relation to risk of prostate cancer. *Cancer Res.*, 58(3), 442-447.
- Gray, A. M., & Flatt, P. R. (1999). Insulin-releasing and insulin-like activity of the traditional anti-diabetic plant *Coriandrum sativum* (coriander). *Br J Nutr.*, 81(3), 203-209.

- Gupta, A., Gupta, R., & Lal, B. (2001). Effect of *Trigonella foenum-graecum* (fenugreek) seeds on glycaemic control and insulin resistance in type 2 diabetes mellitus: a double blind placebo controlled study. *J Assoc Physicians India.*, 49, 1057-1061.
- Guyonnet, D., Belloir, C., Suschetet, M., Siess, M., & Le Bon, A. (2002). Mechanisms of protection against aflatoxin B1 genotoxicity in rats treated by organosulfur compounds from garlic. *Carcinogenesis*, 23(8), 1335-1341.
- Han, L. K., Gong, X. J., Kawano, S., Saito, M., Kimura, Y., & Okuda, H. (2005). Antiobesity actions of *Zingiber officinale* Roscoe. *Yakugaku Zasshi.*, 125(2), 213-217.
- Hare, L. G., Woodside, J. V., & Young, I. S. (2003). Dietary salicylates. *Journal of Clinical Pathology*, 56, 649-650.
- Hassan, H. T. (2004). Ajoene (natural garlic compound): a new anti-leukaemia agent for AML therapy. *Leuk Res.*, 28(7), 667-671.
- Hayashi, M., Tsuchiya, H., Yamamoto, N., Karita, M., Shirai, T., Nishida, H., et al. (2005). Caffeine-potentiated chemotherapy for metastatic carcinoma and lymphoma of bone and soft tissue. *Anticancer Res.*, 25(3c), 2399-2405.
- Hermansen, K., Søndergaard, M., Høie, L., Carstensen, M., & Brock, B. (2001). Beneficial Effects of a Soy-Based Dietary Supplement on Lipid Levels and Cardiovascular Risk Markers in Type 2 Diabetic Subjects. *Diabetes Care*, 24, 228-233.
- Hitokoto, H., Morozumi, S., Wauke, T., Sakai, S., & Kurata, H. (1980). Inhibitory effects of spices on growth and toxin production of toxigenic fungi. *Appl Environ Microbiol.*, 39(4), 818-822.
- Hu, S. H., Wang, J. C., Kung, H. F., Wang, J. T., Lee, W. L., & Yang, Y. H. (2004). Antimicrobial effect of extracts of cruciferous vegetables. *Kaohsiung J Med Sci.*, 20(12), 591-599.
- Jarvill-Taylor, K. J., Anderson, R. A., & Graves, D. J. (2001). A Hydroxychalcone Derived from Cinnamon Functions as a Mimetic for Insulin in 3T3-L1 Adipocytes. *Journal of the American College of Nutrition*, 20(4), 327-336.
- Jayagopal, V., Albertazzi, P., Kilpatrick, E. S., Howarth, E. M., Jennings, P. E., Hepburn, D. A., et al. (2002). Beneficial effects of soy phytoestrogen intake in postmenopausal women with type 2 diabetes. *Diabetes Care.*, 25(10), 1709-1714.
- Jenkins, D. J., Kendall, C. W., Marchie, A., Jenkins, A. L., Connelly, P. W., & Jones, P. J. (2003). The Garden of Eden - plant based diets, the genetic drive to conserve cholesterol and its implications for heart disease in the 21st century. *Comp Biochem Physiol A Mol Integr Physiol.*, 136(1), 141-151.
- Johnson, I. T. (2004). New approaches to the role of diet in the prevention of cancers of the alimentary tract. *Mutat Res.*, 551(1-2), 9-28.
- Joseph, J. A., Denisova, N., Fisher, D., Shukitt-Hale, B., Bickford, P., Prior, R., et al. (1998). Membrane and receptor modifications of oxidative stress vulnerability in aging. Nutritional considerations. *Ann N Y Acad Sci.*, 854, 268-276.

- Joseph, M. A., Moysich, K. B., Freudenheim, J. L., Shields, P. G., Bowman, E. D., Zhang, Y., et al. (2004). Cruciferous vegetables, genetic polymorphisms in glutathione S-transferases M1 and T1, and prostate cancer risk. *Nutr Cancer.*, 50(2), 206-213.
- Juge-Aubry, C. E., Henrichot, E., & Meier, C. A. (2005). Adipose tissue: a regulator of inflammation. *Best Pract Res Clin Endocrinol Metab.*, 19(4), 547-566.
- Khan, A., Safdar, M., Khan, M. M. A., Khattak, K. N., & Anderson, R. A. (2003). Cinnamon Improves Glucose and Lipids of People With Type 2 Diabetes. *Diabetes Care*, 26, 3215-3218.
- Khan, B. A., Abraham, A., & Leelamma, S. (1996). *Murraya koenigii* and *Brassica juncea*--alterations on lipid profile in 1-2 dimethyl hydrazine induced colon carcinogenesis. *Invest New Drugs.*, 14(4), 365-369.
- Kim, J. A., Kang, Y. S., & Lee, Y. S. (2005). A phospholipase C-dependent intracellular Ca²⁺ release pathway mediates the capsaicin-induced apoptosis in HepG2 human hepatoma cells. *Arch Pharm Res.*, 28(1), 73-80.
- Kim, J. I., Kim, J. C., Kang, M. J., Lee, M. S., Kim, J. J., & Cha, I. J. (2005). Effects of pinitol isolated from soybeans on glycaemic control and cardiovascular risk factors in Korean patients with type II diabetes mellitus: a randomized controlled study. *Eur J Clin Nutr.*, 59(3), 456-458.
- Klaus, S., Pultz, S., Thone-Reineke, C., & Wolfram, S. (2005). Epigallocatechin gallate attenuates diet-induced obesity in mice by decreasing energy absorption and increasing fat oxidation. *Int J Obes Relat Metab Disord.*, 29(6), 615-623.
- Knekt, P., Kumpulainen, J., Jarvinen, R., Rissanen, H., Heliovaara, M., Reunanen, A., et al. (2002). Flavonoid intake and risk of chronic diseases. *Am J Clin Nutr.*, 76(3), 560-568.
- Lal, A. A., Kumar, T., Murthy, P. B., & Pillai, K. S. (2004). Hypolipidemic effect of *Coriandrum sativum* L. in triton-induced hyperlipidemic rats. *Indian J Exp Biol.*, 42(9), 909-912.
- Lambert, J. D., Hong, J., Kim, D. H., Mishin, V. M., & S, Y. C. (2004). Piperine enhances the bioavailability of the tea polyphenol (-)-epigallocatechin-3-gallate in mice. *J.Nutr.*, 134(8), 1948-1952.
- Leal, P. F., Braga, M. E., Sato, D. N., Carvalho, J. E., Marques, M. O., & Meireles, M. A. (2003). Functional properties of spice extracts obtained via supercritical fluid extraction. *J Agric Food Chem.*, 51(9), 2520-2525.
- Lee, E., & Surh, Y. J. (1998). Induction of apoptosis in HL-60 cells by pungent vanilloids, [6]-gingerol and [6]-paradol. *Cancer Lett.*, 134(2), 163-168.
- Lee, E. J., Park, H. G., & Kang, H. S. (2003). Sodium salicylate induces apoptosis in HCT116 colorectal cancer cells through activation of p38MAPK. *Int J Oncol.*, 23(2), 503-508.
- Lee, R.B. (1979). *The !Kung San: Men, Women And Work In A Foraging Society*. Cambridge and New York: Cambridge University Press.

- Liu, L. Z., Fang, J., Zhou, Q., Hu, X., Shi, X., & Jiang, B. H. (2005). Apigenin inhibits expression of vascular endothelial growth factor and angiogenesis in human lung cancer cells: implication of chemoprevention of lung cancer. *Mol Pharmacol.*, 68(3), 635-643.
- Liu, R. H. (2003). Health benefits of fruit and vegetables are from additive and synergistic combinations of phytochemicals. *American Journal of Clinical Nutrition*, 78(3), 517S-520S.
- Mahady, G. B., Pendland, S. L., Yun, G. S., Lu, Z. Z., & Stoia, A. (2003). Ginger (*Zingiber officinale* Roscoe) and the gingerols inhibit the growth of Cag A+ strains of *Helicobacter pylori*. *Anticancer Res.*, 23(5A), 3699-3702.
- Masuda, Y., Haramizu, S., Oki, K., Ohnuki, K., Watanabe, T., Yazawa, S., et al. (2003). Upregulation of uncoupling proteins by oral administration of capsiate, a nonpungent capsaicin analog. *J Appl Physiol*, 95, 2408-2415.
- McDade, T. P., Perugini, R. A., Vittimberga, F. J., Carrigan, R. C., & Callery, M. P. (1999). Salicylates inhibit NF-kappaB activation and enhance TNF-alpha-induced apoptosis in human pancreatic cancer cells. *J Surg Res.*, 83(1), 56-61.
- Messina, M., & Messina, V. (1996). Nutritional implications of dietary phytochemicals. *Adv Exp Med Biol.*, 401, 207-212.
- Moon, Y. J., Wang, X., & Morris, M. E. (2005). Dietary flavonoids: Effects on xenobiotic and carcinogen metabolism. *Toxicol In Vitro.*, 10.
- Naasani, I., Oh-hash, i. F., Oh-hara, T., Feng, W. Y., Johnston, J., Chan, K., et al. (2003). Blocking Telomerase by Dietary Polyphenols Is a Major Mechanism for Limiting the Growth of Human Cancer Cells in Vitro and in Vivo. *Cancer Research*, 63, 824-830.
- Naderi-Kalali, B., Allameh, A., Rasaei, M. J., Bach, H. J., Behechti, A., Doods, K., et al. (2005). Suppressive effects of caraway (*Carum carvi*) extracts on 2, 3, 7, 8-tetrachloro-dibenzo-p-dioxin-dependent gene expression of cytochrome P450 1A1 in the rat H4IIE cells. *Toxicol In Vitro.*, 19(3), 373-377.
- Nagao, T., Komine, Y., Soga, S., Meguro, S., Hase, T., Tanaka, Y., et al. (2005). Ingestion of a tea rich in catechins leads to a reduction in body fat and malondialdehyde-modified LDL in men. *Am J Clin Nutr.*, 81(1), 122-129.
- Nagasawa, H., Watanabe, K., & Inatomi, H. (2002). Effects of bitter melon (*Momordica charantia* L.) or ginger rhizome (*Zingiber officinale* rosc) on spontaneous mammary tumorigenesis in SHN mice. *Am J Chin Med.*, 30(2-3), 195-205.
- Navarro-Peran, E., Cabezas-Herrera, J., Garcia-Canovas, F., Durrant, M. C., Thorneley, R. N., & Rodriguez-Lopez, J. N. (2005). The antifolate activity of tea catechins. *Cancer Res.*, 65(6), 2059-2064.
- Ninfali, P., Mea, G., Giorgini, S., Rocchi, M., & Bacchiocca, M. (2005). Antioxidant capacity of vegetables, spices and dressings relevant to nutrition. *Br J Nutr.*, 93(2), 257-266.
- Ono, K., Hasegawa, K., Naiki, H., & Yamada, M. (2004). Curcumin has potent anti-amyloidogenic effects for Alzheimer's beta-amyloid fibrils in vitro. *J Neurosci Res.*, 75(6), 742-750.

- Ono, K., Hasegawa, K., Naiki, H., & Yamada, M. (2004). Curcumin has potent anti-amyloidogenic effects for Alzheimer's beta-amyloid fibrils in vitro. *Neurosci Res.*, 75(6), 742-750.
- Osakabe, N., Takano, H., Sanbongi, C., Yasuda, A., Yanagisawa, R., Inoue, K., et al. (2004). Anti-inflammatory and anti-allergic effect of rosmarinic acid (RA); inhibition of seasonal allergic rhinoconjunctivitis (SAR) and its mechanism. *Biofactors.*, 21(1-4), 127-131.
- Park, O. J., & Surh, Y. J. (2004). Chemopreventive potential of epigallocatechin gallate and genistein: evidence from epidemiological and laboratory studies. *Toxicol Lett.*, 150(1), 43-56.
- Phan, P. V., Sohrabi, A., Polotsky, A., Hungerford, D. S., Lindmark, L., & Frondoza, C. G. (2005). Ginger extract components suppress induction of chemokine expression in human synoviocytes. *J Altern Complement Med.*, 11(1), 149-154.
- Pradeep, C. R., & Kuttan, G. (2004). Piperine is a potent inhibitor of nuclear factor-kappaB (NF-kappaB), c-Fos, CREB, ATF-2 and proinflammatory cytokine gene expression in B16F-10 melanoma cells. *Int Immunopharmacol.*, 4(14), 1795-1803.
- Puri, D., Prabhu, K. M., & Murthy, P. S. (2002). Mechanism of action of a hypoglycemic principle isolated from fenugreek seeds. *Indian J Physiol Pharmacol.*, 46(4), 457-462.
- Ramachandran, C., Fonseca, H. B., Jhabvala, P., Escalon, E. A., & Melnick, S. J. (2002). Curcumin inhibits telomerase activity through human telomerase reverse transcriptase in MCF-7 breast cancer cell line. *Cancer Lett.*, 184(1), 1-6.
- Ravindranath, M. H., Muthugounder, S., Presser, N., & Viswanathan, S. (2004). Anticancer therapeutic potential of soy isoflavone, genistein. *Adv Exp Med Biol.*, 546, 121-165.
- Rosenstein, E. D., Greenwald, R. A., Kushner, L. J., & Weissmann, G. (2004). Hypothesis: the humoral immune response to oral bacteria provides a stimulus for the development of rheumatoid arthritis. *Inflammation.*, 28(6), 311-318.
- Ruby, B. C., Gaskill, S. E., Slivka, D., & Harger, S. G. (2005). The addition of fenugreek extract (*Trigonella foenum-graecum*) to glucose feeding increases muscle glycogen resynthesis after exercise. *Amino Acids.*, 28(1), 71-76.
- Satyanarayana, S., Sushruta, K., Sarma, G. S., Srinivas, N., & Subba Raju, G. V. (2004). Antioxidant activity of the aqueous extracts of spicy food additives--evaluation and comparison with ascorbic acid in in-vitro systems. *J Herb Pharmacother.*, 4(2), 1-10.
- Scannapieco, F. A. (2004). Periodontal inflammation: from gingivitis to systemic disease? *Compend Contin Educ Dent.*, 25(7 Suppl 1), 16-25.
- Scott, K., & Scott, L. (1999). *Natural Home Pharmacy* Cape Town: New Holland.
- Seinost, G., Wimmer, G., Skerget, M., Thaller, E., Brodmann, M., Gasser, R., et al. (2005). Periodontal treatment improves endothelial dysfunction in patients with severe periodontitis. *Am Heart J.*, 149(6), 1050-1054.
- Sekiya, K., Ohtani, A., & Kusano, S. (2004). Enhancement of insulin sensitivity in adipocytes by ginger. *Biofactors.*, 22(1-4), 153-156.

- Selvendiran, K., Senthilnathan, P., Magesh, V., & Sakthisekaran, D. (2004). Modulatory effect of Piperine on mitochondrial antioxidant system in Benzo(a)pyrene-induced experimental lung carcinogenesis. *Phytomedicine.*, *11*(1), 85-89.
- Sengupta, A., Ghosh, S., Bhattacharjee, S., & Das, S. (2004). Indian food ingredients and cancer prevention - an experimental evaluation of anticarcinogenic effects of garlic in rat colon. *Asian Pac J Cancer Prev.*, *5*(2), 126-132.
- Sharma, R. D., Raghuram, T. C., & Rao, N. S. (1990). Effect of fenugreek seeds on blood glucose and serum lipids in type I diabetes. *Eur J Clin Nutr.*, *44*(4), 301-306.
- Sharp, G. B., Lagarde, F., Mizuno, T., Sauvaget, C., Fukuhara, T., Allen, N., et al. (2005). Relationship of hepatocellular carcinoma to soya food consumption: a cohort-based, case-control study in Japan. *Int J Cancer*, *115*(2), 290-295.
- Shen, C. L., Hong, K. J., & Kim, S. W. (2003). Effects of ginger (*Zingiber officinale* Rosc.) on decreasing the production of inflammatory mediators in sow osteoarthrotic cartilage explants. *J Med Food.*, *6*(4), 323-328.
- Siege, I. G., Malmsten, M., Pietzsch, J., Schmidt, A., Buddecke, E., Michel, F., et al. (2004). The effect of garlic on arteriosclerotic nanoplaque formation and size. *Phytomedicine.*, *11*(1), 24-35.
- Singh, G., Kapoor, I. P., Pandey, S. K., Singh, U. K., & Singh, R. K. (2002). Studies on essential oils: part 10; antibacterial activity of volatile oils of some spices. *Phytother Res.*, *16*(7), 680-682.
- Singh, R. B., Niaz, M. A., Sharma, J. P., Kumar, R., Rastogi, V., & Moshiri, M. (1997). Randomized, double-blind, placebo-controlled trial of fish oil and mustard oil in patients with suspected acute myocardial infarction: the Indian experiment of infarct survival. *Cardiovasc Drugs Ther.*, *11*(3), 485-491.
- Singh, S. (1999). Mechanism of action of antiinflammatory effect of fixed oil of *Ocimum basilicum* Linn. *Indian J Exp Biol.*, *37*(3), 248-252.
- Singh, S. V., Srivastava, S. K., Cho, i. S., Lew, K. L., Antosiewicz, J., Xiao, D., et al. (2005). Sulforaphane-induced cell death in human prostate cancer cells is initiated by reactive oxygen species. *J Biol Chem.*, *280*(20), 19911-19924.
- Sinha, D., Bhattacharya, R. K., Siddiqi, M., & Roy, M. (2005). Amelioration of sodium arsenite-induced clastogenicity by tea extracts in Chinese hamster v79 cells. *J Environ Pathol Toxicol Oncol.*, *24*(2), 129-140.
- Somasundaram, S., Edmund, N. A., Moore, D. T., Small, G. W., Shi, Y. Y., & Orłowski, R. Z. (2002). Dietary curcumin inhibits chemotherapy-induced apoptosis in models of human breast cancer. *Cancer Res.*, *62*(13), 3868-3875.
- Surh, Y., Park, K., Chun, K., Lee, L., Lee, E., & Lee, S. (1999). Anti-tumor-promoting activities of selected pungent phenolic substances present in ginger. *J Environ Pathol Toxicol Oncol.*, *18*(2), 131-139.

- Suzuki, R., Kohno, H., Murakami, A., Koshimizu, K., Ohigashi, H., Yano, M., et al. (2004). Citrus nobiletin inhibits azoxymethane-induced large bowel carcinogenesis in rats. *Biofactors*, 22(1-4), 111-114.
- Tang, L., & Zhang, Y. (2004). Dietary isothiocyanates inhibit the growth of human bladder carcinoma cells. *J Nutr*, 134(8), 2004-2010.
- Tseng, E., Scott-Ramsay, E. A., & Morris, M. E. (2004). Dietary organic isothiocyanates are cytotoxic in human breast cancer MCF-7 and mammary epithelial MCF-12A cell lines. *Exp Biol Med (Maywood)*, 229(8), 835-842.
- Uno, M., Kitazato, K. T., Suzue, A., Itabe, H., Hao, L., & Nagahiro, S. (2005). Contribution of an imbalance between oxidant-antioxidant systems to plaque vulnerability in patients with carotid artery stenosis. *J Neurosurg*, 103(3), 518-525.
- Van Slambrouck, S., Parmar, V. S., Sharma, S. K., De Bondt, B., Fore, F., Coopman, P., et al. (2005). Tangeretin inhibits extracellular-signal-regulated kinase (ERK) phosphorylation. *FEBS Lett*, 579(7), 1665-1669.
- Vats, V., Yadav, S. P., Biswas, N. R., & Grover, J. K. (2004). Anti-cataract activity of *Pterocarpus marsupium* bark and *Trigonella foenum-graecum* seeds extract in alloxan diabetic rats. *J Ethnopharmacol*, 93(2-3), 289-294.
- Vats, V., Yadav, S. P., & Grover, J. K. (2003). Effect of *T. foenum-graecum* on glycogen content of tissues and the key enzymes of carbohydrate metabolism. *J Ethnopharmacol*, 85(2-3), 237-242.
- Vinson, J. A., & Jang, J. (2001). In Vitro and In Vivo Lipoprotein Antioxidant Effect of a Citrus Extract and Ascorbic Acid on Normal and Hypercholesterolemic Human Subjects. *J Med Food*, 4(4), 187-192.
- Vinson, J. A., Liang, X., Proch, J., Hontz, B. A., Dancel, J., & Sandone, N. (2002). Polyphenol antioxidants in citrus juices: in vitro and in vivo studies relevant to heart disease. *Exp Med Biol*, 505, 113-122.
- Walters, D. G., Young, P., Agus, C., Knize, M. G., Boobis, A. R., Gooderham, N. J., et al. (2004). Cruciferous vegetable consumption alters the metabolism of the dietary carcinogen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in humans. *Carcinogenesis*, 25(9), 1659-1669.
- Westerterp-Plantenga, M., Smeets, A., & Lejeune, M. P. (2005). Sensory and gastrointestinal satiety effects of capsaicin on food intake. *Int J Obes Relat Metab Disord*, 29(6), 682-688.
- Wilkinson, G. (1997). The effects of diet, aging and disease-states on presystemic elimination and oral drug bioavailability in humans. *Adv Drug Deliv Rev*, 27(2-3), 129-159.
- Wolfram, S., Raederstorff, D., Wang, Y., Teixeira, S. R., Elste, V., & Weber, P. (2005). TEAVIGO (epigallocatechin gallate) supplementation prevents obesity in rodents by reducing adipose tissue mass. *Ann Nutr Metab*, 49(1), 54-63.
- Yang, C. S., Liao, J., Yang, G. Y., & Lu, G. (2005). Inhibition of lung tumorigenesis by tea. *Exp Lung Res*, 31(1), 135-144.

- Yang, F., Lim, G., Begum, A. N., Ubeda, O. J., Simmons, M. R., Ambegaokar, S. S., et al. (2005). Curcumin inhibits formation of amyloid beta oligomers and fibrils, binds plaques, and reduces amyloid in vivo. *J Biol Chem.*, 280(7), 5892-5901.
- Yoshimizu, N., Otani, Y., Saikawa, Y., Kubota, T., Yoshida, M., Furukawa, T., et al. (2004). Anti-tumour effects of nobiletin, a citrus flavonoid, on gastric cancer include: antiproliferative effects, induction of apoptosis and cell cycle deregulation. *Aliment Pharmacol Ther.*, 20(Suppl 1), 95-101.
- Young, I. S., & Woodside, J. V. (2001). Antioxidants in health and disease. *J Clin Pathol*, 54, 176-186.
- Zern, T. L., Wood, R. J., Greene, C., West, K. L., Liu, Y., Aggarwal, D., et al. (2005). Grape polyphenols exert a cardioprotective effect in pre- and postmenopausal women by lowering plasma lipids and reducing oxidative stress. *J Nutr.*, 135(8), 1911-1917.
- Zhang, M., Xie, X., Lee, A. H., & Binns, C. W. (2004). Soy and isoflavone intake are associated with reduced risk of ovarian cancer in southeast china. *Nutr Cancer.*, 49(2), 125-130.
- Zhang, X., Ou, S. X., Gao, Y., Yang, G., Li, Q., Li, H., et al. (2003). Soy Food Consumption Is Associated with Lower Risk of Coronary Heart Disease in Chinese Women. *J.Nutr.*, 133, 2874-2878.
- Zhang, Y. (2004). Cancer-preventive isothiocyanates: measurement of human exposure and mechanism of action. *Mutat Res.*, 555(1-2), 173-190.